

PATRIOT



PATRIOT 2.0



NVECTECH



DEFENDER



480 (19mm)

650 (25mm)

910 (35mm)

1280 (50mm)

1200 (19mm)

1500 (25mm)

2000 (35mm)

2900 (50mm)

DETECTION RANGE



NVECTECH

Ukraine

site: www.nvectech.com

e-mail: info@nvectech.com

WhatsApp: +380635969696



PATRIOT



L19-35




L50-H50



L50 Pro



Strong aluminum frame:
Withstands high load.



Working time over 12 hours:
Supports all types bank tellers.



Ultra clear display SONY 1024x768 OLED hardy:
Maximum brightness image. VOx technology.



The most sensitive matrix ~20mK (384x288px):
Exclusively for NVECTECH.

Розробка:
NVECTECH (Ukraine).



Convenient menu and Software:
For Android and iOS.



Range finder:
With automatic definition distance to several goals.



A wide selection of lenses:
19 mm – 1200 m; 25 mm – 1500 m;
35 mm – 2000 m; 50 mm – 2900 m.





L50 Pro



L50-H50



L19-35

PATRIOT 2.0



Battery indicator:
Intelligent indication
battery charge.

Development:
NVECTECH (Ukraine).




Updated menu:
More convenient and
functional interface.

Updated controls:
Even stronger, more comfortable
and more sensitive.



New altitude and temperature sensors:
Additional analysis
environment.

**Additional metal elements
and cat eye:**
Protection of critical elements and eyes.



**The new most sensitive matrix
<20mK (384x288px, 640x512px):**
Even faster, even more sensitive.

A wide selection of lenses:
19 mm – 1200 m; 25 mm – 1500 m;
35 mm – 2000 m; 50 mm – 2900 m.



DEFENDER



319-335L



360L




660L



Magnesium alloy body:
Impact resistance 10000J.



Range finder 1200m:
Multifunctional rangefinder.



AI-based software:
Thanks to more than five sensors, the device adapts to the needs of the user.




Convenient controls:
Strong, comfortable and sensitive.



Battery indicator:
Intelligent indication battery charge.



The latest dual focus lenses:
Allows you to clearly see more distant objects.



The new most sensitive matrix
<20mK (384x288px, 640x512px):
Even faster, even more sensitive.

A wide selection of lenses:
19 mm – 1200 m; 25 mm – 1500 m;
35 mm – 2000 m; 20-60 mm – 3300 m.

